

INFORMATION ABOUT THE SCHOOL (Mandatory Public Disclosure)	
Name of the school	St. Anselms School
Affiliation No	1730073
School Code	10392
COMPLETE ADDRESS WITH PIN CODE	Delhi Road Mungaska Alwar – 301001 Rajasthan
PRINCIPAL NAME & QUALIFICATION:	Fr. Shibu Rajarethinam (M.A.,B.Ed)
E-mail	anselmsalwar @yahoo.com
Ph. No	0144-2372479
Fax No.	0144 – 2373322
Year of establishment of School	1987
Whether NOC from State/UT or recommendation of Embassy of India obtained	State
NOC No	Shiksha/prathmic/C/19497/24/89-90
Is the school is recognised, if yes by which Authority	CBSE
Status of affiliation : Permanent/Regular/Provisional	Provisional
Affiliation No.	1730073
Affiliation with the Board since	1991
Extension of affiliation upto	2029
Name of Trust/Society/Company Registered under Section 25 of the company Act, 1956.	Gyan Deep Education Society, Jaipur Reg. No 633/Jaipur/2005-06

List of members of School Managing Committee with their Address and post held	S.No	Name	Designation in SMC	Address
	1	Fr. Edward Oliveira	Chairman	Nav Jeevan Kendra, Gandhi Path Rd, Vaishali Nagar, Lalarpura, Jaipur, Jaipur Nagar Nigam Area, Rajasthan 302021
	2	Fr. Melwyn Rajesh Saldanha	Manager	St. Anselms School, Manasarovar, Jaipur
	3	Fr. Shibu Rajarethinam	Secretary	St. Anselms Sr. Sec. School,Alwar
	4	Fr. Paulachan Pulickal	Sr. Sec. School Principal (CBSE)	St. Anselms Pinck City School, Jaipur
	5	Fr. Jugal Kindo (S.J.)	Sr. Sec. School Principal (CBSE)	St. Xaviers School,Bhiwadi, Alwar
	6	Sr. Dellus Mary (P.S.A)	Sr. Sec. School Principal (CBSE)	St. Francis School, Bandikui
	7	Sr. Tessy Rose	Member	St. Anselms Sr. Sec. School,Alwar
	8	Mr. Sajimon Manuel	Teacher Representative	St. Anselms Sr. Sec. School,Alwar
	9	Mrs. Meetu Madan	Teacher Representative	St. Anselms Sr. Sec. School,Alwar
	10	Mrs. Neeta Bhargava	Teacher Representative	St. Anselms Sr. Sec. School,Alwar
	11	Mrs. Ramanjeet Kaur	Teacher Representative	St. Anselms Sr. Sec. School,Alwar
	12	Dr. Nidhi Mangala	Parent Representative	D-133A, GARG DENTAL CLINIC,KHUDANPURI, ALWAR
	13	Mrs. Poonam Chauhan	Parent Representative	13 GDRS, 56 APO ITARANA CANTT, ALWAR
	14	Mr. Mahendra Jaiswal	Parent Representative	A-176, BUDH VIHAR, ALWAR
	15	Mr. Mustaq Masih	Parent Representative	HEERAWAS,KALI MORI PATHAK, ALWAR(RAJ)

Details of Fee structure	PRIMARY	59112
	MIDDLE	65732
	SECONDARY	77640
	SENIOR SECONDARY	85200
Transport facility	Own buses & Buses hired on contract basis	
Details of transport charges	Rs. 19250/-(Annual)	
Name and Official address of the Correspondent : Email : Phone No :	Fr. Shibu Rajarethinam St. Anselms Sr. Sec. School, Delhi Road, Alwar – 301001 rvshibu@gmail.com 0144 – 2372479	

RESULT CLASS - 10				
S. NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE
1	2023-24	203	203	100%
2	2024-25	199	199	100%
3	2025-26	197	197	100%
RESULT CLASS - 12				
1	2023-24	104	104	100%
2	2024-25	119	114	96%
3	2025-26	86	83	96.51%

Area of School Campus	In Acres	6.4
	In sq. mtrs	25900
	Build up area(sq. Mtrs)	31413.33
	Area of Playground in sq. Mtrs.	1024
	Other Facilities	Indoor Games
		Dance Room
		Gymnasium
		Music Room
		Health & Medical Check up

	Particulars of teaching staff				
	<i>Name</i>	<i>Designation</i>	<i>Date Of Joining</i>	<i>Trained / Un-trained</i>	<i>Regular/ Adhoc</i>
1	Fr. SHIBU RAJARETHINAM	PRINCIPAL	01-07-2026	Trained	Regular
2	Fr. AMIT LAKRA	VICE PRINCIPAL	01-07-2026	Trained	Regular
3	POORAN SINGH SONI	PGT	11-01-1993	Trained	Regular
4	CLAUDE MENEZES	PGT	04-07-1997	Trained	Regular
5	SAJIMON MANUEL	PGT	01-07-1999	Trained	Regular
6	HARENDRA PAL SINGH	PGT	01-07-2001	Trained	Regular
7	ISMITA SINGH BHATTI	PGT	01-07-2002	Trained	Regular
8	ARCHANA KASTURIA	PGT	01-11-2003	Trained	Regular
9	NISHA SAJI	PGT	01-07-2001	Trained	Regular
10	ARUN SHARMA	PGT	24-07-2009	Trained	Regular
11	SUMA SHAJU	PGT	01-09-1999	Trained	Regular
12	K. C. BATRA	PGT	01-07-2003	Trained	Regular
13	AMAL RAJ	PGT	01-07-2010	Trained	Regular
14	SUNIL KUMAR	PGT	01-07-2015	Trained	Regular
15	MONIKA KUMARI	PGT	01-09-2017	Trained	Regular
16	PRATEEK SHARMA	PGT	02-10-2024	Trained	Regular
17	ZITA MENEZES	TGT	01-07-2006	Trained	Regular
18	KULJEET KAUR	TGT	01-07-2009	Trained	Regular
19	GULSHAN SHARMA	TGT	01-07-2009	Trained	Regular
20	ANIL KUMAR NARULA	TGT	01-07-2009	Trained	Regular
21	SILVI RAJ	TGT	01-07-2010	Trained	Regular
22	KARUNA SARDANA	TGT	01-07-2010	Trained	Regular
23	ANITA YADAV	TGT	01-07-2010	Trained	Regular
24	MEETU MADAN	TGT	01-07-2010	Trained	Regular
25	NEELAM ANJELA RAWAT	TGT	01-01-2011	Trained	Regular
26	SHWETA SARDANA	TGT	01-07-2011	Trained	Regular
27	RANJANA SHARMA	TGT	01-07-2011	Trained	Regular
28	PREETY ARORA	TGT	01-07-2011	Trained	Regular
29	PARUL AHUJA	TGT	01-07-2012	Trained	Regular
30	MANISHA AGARWAL	TGT	01-07-2013	Trained	Regular
31	RATNA SHUKLA	TGT	01-07-2014	Trained	Regular
32	POONAM SINGH	TGT	01-07-2014	Trained	Regular
33	MEERU KALRA	TGT	01-07-2014	Trained	Regular
34	SUMAN YADAV	TGT	01-07-2015	Trained	Regular
35	REKHA ARORA	TGT	01-07-2016	Trained	Regular
36	PRACHI KHANDELWAL	TGT	02-07-2018	Trained	Regular
37	ASHA SHARMA	TGT	01-08-2019	Trained	Regular
38	PUSHPA SHARMA	TGT	01-07-2020	Trained	Regular
39	GAYATRI SHARMA	TGT	01-07-2021	Trained	Regular
40	REKHA ARORA	TGT	01-07-2021	Trained	Regular
41	DUSHALI BHATIA	TGT	06-01-2022	Trained	Regular
42	BHARTI ARORA	TGT	01-07-2022	Trained	Regular
43	REKHA ARORA	TGT	01-07-2016	Trained	Regular
44	ASHOK KUMAR	TGT	04-04-2023	Trained	Regular
45	JYOTHI BHARDWAJ	TGT	01-07-2023	Trained	Regular
46	VARUN SUCHDAVA	TGT	05-05-2024	Trained	Regular

47	LANCELET STANLY	TGT	01-08-2024	Trained	Regular
48	ROSY RANI UPPAL	PRT	05-07-1997	Trained	Regular
49	DELLY PREM KUMAR	PRT	01-07-1998	Trained	Regular
50	ANITA ADLAKHA	PRT	01-07-1998	Trained	Regular
51	BRINDA ROBIN	PRT	01-07-1999	Trained	Regular
52	RAMANJEET KAUR SASAN	PRT	02-07-2001	Trained	Regular
53	NEETA BHARGAVA	PRT	02-07-2007	Trained	Regular
54	VARSHA PATHAK	PRT	01-07-2009	Trained	Regular
55	KANWALJEET KAUR	PRT	02-08-2010	Trained	Regular
56	JYOTI SAINI	PRT	01-07-2013	Trained	Regular
57	SOMIYA YUSUF	PRT	01-07-2014	Trained	Regular
58	SHIVANI SONI	PRT	01-07-2014	Trained	Regular
59	SONIA KUMARI	PRT	01-07-2016	Trained	Regular
60	CHINAKSHI SHARMA	PRT	07-07-2017	Trained	Regular
61	MEERA KUKREJA	PRT	02-07-2018	Trained	Regular
62	SUNITA KAPOOR	PRT	01-04-2019	Trained	Regular
63	APARNA METHA	PRT	01-07-2022	Trained	Regular
64	KAMNA WADHWA	PRT	04-04-2023	Trained	Regular
65	SHELLY JAGRAWAL	PRT	01-07-2023	Trained	Regular
66	POOJA DHINGRA	PRT	20-11-2025	Trained	Regular
67	SANJAY KHANDELWAL	PET	12-07-1993	Trained	Regular
68	POONAM TAYAL	PET	01-07-2015	Trained	Regular
69	NINGTHOUJAM RISHIKANTA SINGH	PET	01-07-2022	Trained	Regular
70	RIYA GUPTA	TGT	12-01-2025	Trained	Regular
71	BINDU FRANCIS	WELLNEES TEACHER	07-01-2025	Trained	Regular
72	ANJALI SHARMA	PRT	07-01-2025	Trained	Regular
73	NEHA POPLI	TGT	07-02-2025	Trained	Regular
74	SONAM ARORA	TGT	07-01-2025	Trained	Regular
75	MANJU ABY JOSEPH	PRT	05-05-2025	Trained	Regular
76	SHUCHIKA KOHLI	PRT	07-01-2025	Trained	Regular
77	SHIVANI KAKKAR	PRT	04-04-2025	Trained	Regular
78	PRAMILA KULLU	PTI	07-01-2025	Trained	Regular
79	RAJESH KUMAR SHARMA	LIBRARIAN	01-07-1995	Trained	Regular
80	POOJA RANI	OTHER	07-01-2024	Trained	Regular
81	KRITIKA SHARMA	OTHER	07-01-2024	Trained	Regular
82	POOJA SHARMA	OTHER	07-01-2025	Trained	Regular
83	HINA USMANI	Co-Ordinator	01-04-2026	Trained	Regular
84	GAYTRI ARYA	TGT	01-08-2026	Trained	Regular
85	RUBY MATHEW	TGT	01-07-2026	Trained	Regular
86	ROSAMMA JOSEPH	OTHER	01-08-2025	Trained	Regular
87	SEJAL ARORA	PRT	01-04-2026	Trained	Regular
88	SARA PRAVEEN	PRT	01-05-2026	Trained	Regular
89	TANUJA MAHINDRA	NTT	01-04-2026	Trained	Regular
90	DEEKSHA SHARMA	TGT	01-07-2026	Trained	Regular
91	KANCHAN GUPTA	NTT	01-04-2026	Trained	Regular
92	GAURAV	PRT	01-04-2026	Trained	Regular

Details Of Salary being paid by the school to teaching Staff/ Non Teaching staff					
Designation	Scale of Pay	Level in Pay Matrix	% DA	%HRA	%EPF contribution
Principal	148800-218600	L-24	47	9	12
P.G.T.	44300-140100	L-12	47	9	12
T.G.T.	37800-119700	L-11	47	9	12
P.R.T.	33800-106700	L-10	47	9	12
Office In Charge	28700-91300	L-9	47	9	12
Office Assistant	28700-91300	L-9	47	9	12
Lab Staff	20800-65900	L-5	47	9	12
K.G. Assistant	17700-56800	L-1	47	9	12
Ministerial Staff	26300-83500	L-8	47	9	12
Driver	20800-65900	L-5	47	9	12
Conductor	17900-56800	L-2	47	9	12
Aya	17700-56200	L-1	47	9	12
Sweeper	17900-56800	L-2	47	9	12
Name Of the Bank through which salary is drawing	Bank of India, Aravali Vihar, Alwar				
Payment mode	Through single cheque transfer advice				
Library Facilities					
Size of the Library in sq. Feet	760				
No. Of Periodicals	6				
No. Of Dailies	2650				
No. Of Reference books	5				
No. Of magazine	13600				
Others	1660				

Name of the Grievance/Redressal Officer with e-mail, Ph. No, Fax. No.	Fr. SHIBU RAJARETHINAM rvshibu@gmail.com Ph. No. 0144 – 2372479	Fr. AMIT LAKRA amitjpd01@gmail.com Ph. No. 0144 – 2372479
Members of sexual Harassment Committee	Sr. Tessy Rose	Child Protection Officer
	Ms. Ismita Bhati	Teacher Representative
	Ms. Suma Shaju	Teacher Representative
	Sr. Mary Lince	Counsellor
	Ms. Hamisha Prajeev	PTA Member
	Master Novesh Kumar Sharma	Student Representative
	Ms. Manmeet Kaur	Student Representative

<i>Class wise enrolment of the school for the Current Session</i>		
<i>Class</i>	<i>No. of Sections</i>	
Bal Vatika 1	2	40
Bal Vatika 2	2	70
Bal Vatika 3	2	41
1	2	57
2	2	72
3	4	126
4	4	112
5	4	139
6	6	160
7	6	189
8	6	191
9	6	182
10	6	191
11	4	108
12	4	104
	From	To
Academic Session period	1st April 2026	31st March 2027
Summer Vacation Period	17th May 2027	30th June 2027
Admission Period	01th February 2027	30th June 2027

कार्यालय निदेशक प्राथमिक एवं माध्यमिक शिक्षा राजस्थान, बीकानेर

कार्यालय-आदेश

अग्रे जो माध्यम एवं एन.टी.ई.आर.टी.वालय के अन्तर्गत संघालित वेन्ड एन्सलम स्कूल, देहली रोड अलवर को प्राथमिक स्तर की स्थाई मान्यता प्रदान की जाती है। कि-गोप नियमों की पालना न करने पर स्थाई मान्यता रद्द की जा सकती है।

इसके साथ ही संस्था को उच्च प्राथमिक स्तर की स्थाई मान्यता इस की पर दी जाती है कि संस्था द्वारा निम्न शर्तों को पूर्ति एक वर्ष के भीतर पूर्ण कर लेगी। शर्त पूर्ण होने पर ही स्थाई मान्यता पूर्ण मानो जायेगी।

11] अन्य संस्थाओं की भांति उक्त संस्था का नाम भी विधान में उचित कर पंजीयक से अनुमोदन प्राप्त किया जाये।

12] नियुक्ति हेतु एक वयन समिति का गठन किया जाये जिसमें कि-गोप प्रतिनिधि को सम्मिलित किया जाये। पूर्व में की गई संस्था द्वारा उक्त सभी नियुक्तियों का अनुमोदन प्राप्त किया जाये। तथा भविष्य में सभी नियुक्तियाँ कि-गोप प्रतिनिधि की उपस्थिति में ही की जाये।

13] स. 90-91 में 88 संस्था का संवाहन पूर्ण रूप से उच्च प्राथमिक स्तर तक किया जाये।

14] संस्था की आय-व्यय का ब्योरा वर्ष 89-90 का चार्टर्ड ऐकाउन्टेन्ट से प्रमाणित करवाया जाये।

15] संस्था में कार्यरत सभी कर्मचारियों की सेवा पुस्तिका व निजी पंजिका संघालित की जाये।

16] संस्था में अध्ययनरत छात्रों से शिक्षा शुल्क व अन्य शुल्क नियमानुसार क्लूट किया जाये।

17] संस्था कि-गोप नियमों की हमेशा पालना करती रहेगी वरना कि-गोप मान्यता वापिस लेने हेतु सक्षम है।

हो
[तलित के. पंवार]


निदेशक
प्राथमिक एवं माध्यमिक शिक्षा
राजस्थान, बीकानेर


क्रमांक:- शिविरा/प्राथ/बी/19497/24/89-90

दिनांक 10/4/90

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है :-

- 11] संयुक्त निदेशक [पुरुष] शिक्षा विभाग जयपुर।
- 12] प्रिन्सिपल शिक्षाधिकारी [छात्र संस्थाएँ] अलवर।
- 13] सचिव, वेन्ड एन्सलम विद्यालय, देहली रोड, अलवर।
- 14] अनुभाग अधिकारी अनुदान अनुभाग शिक्षा निदेशालय, राजस्थान, बीकानेर।
- 15] रक्षित पंजिका।


निदेशक
प्राथमिक एवं माध्यमिक शिक्षा
राजस्थान, बीकानेर


Principal
St. Anselms Sr. Sec. School
1st Floor Road
ALVERA SCHOOL C-1

OFFICE OF THE EXECUTIVE ENGINEER, PWD DN. ALWAR

✓ St. Anselms
Sr. Sec. School
Delhi Road Munska
Alwar

No.:- 1726

Date:- 28/7/26

Sub:- Regarding Safety certificate of Building St. Anselms Sr. Sec. School Delhi Road Munska Alwar.

Ref:- Depositing fee. By DD No 500130 Dated 29-06-2026 for Rs. 6000/-

Sir,

It is to inform you that above building have been inspected by Assistant Engineer PWD Sub.Dn Alwar conveyed vide letter No. 528 dated 27-07-2026 on the basis of formal recommended & affidavit furnished by owner; it is to certify that this building is safe in normal conditions. Excluding natural disasters Earthquake/ Cyclone.

This Certificate is valid for a period of 3 (Three Years) from the issued (Vide PWD Raj. Jaipur Letter No. CE & AS/ TA-I/ D&T/ 2017/ 04 Dated 13.04.18) and is subjected to regular upkeep and satisfactory Annual maintenance by college/School/Building owner. (With other safety measures for Fire Protection.)

- Note: 1. This certificate will stand void automatically, if the building is used for any other purpose other than the building activities at any time during the year.
- 2.. Report regarding safety for electric line in & near building permises should be taken by Electricity department.

Your's faithfully

Executive Engineer,
PWD Dn. Alwar

Date:-

No.:-

Copy to the -

1. Assistant Engineer PWD Sub.Dn. Alwar in refrence of his letter No.528 dated 27-07-26.
2. Assistant Engineer JVVNL Alwar to provide the report regarding safety for electric line in & near building permises to owner of St. Anselms Sr. Sec. School Delhi Road Munska Alwar.

Executive Engineer,
PWD Dn. Alwar



OFFICE OF THE SENIOR CHEMIST
PUBLIC HEALTH ENGINEERING DEPARTMENT LABORATORY, ALWAR

Lab/Tech/(Private)/2026-27/ 177

Dated: 25.06.2026

EXAMINATION REPORT OF THE PRIVATE WATER SAMPLES

Issued To,

St. Anselms Sr. Sec. School
Delhi Road
Alwar

District: Alwar
Block/City: Alwar

Ref_ID :	30	Lab Sample No. :	30
Reference : Your Letter No. :	0	Source :	TW
Reference Dated :	23.06.26	Source Location :	St. Anselms Sr. Sec. School
Date of Receipt :	23.06.26	Habitation/Ward No. :	Alwar
Name of Sample Taker :	Mr. Gireja Prajapat	Village/Colony/Town :	Alwar
Design of Sample Taker :	0	Gram Panchayat/City Area :	Alwar
GA-55 Book No. :	019774	Date of Collection :	23.06.26
GA-55 Receipt No. :	0083	Date of Examination :	23.06.26
Amount in Rs. :	297.00	Amount Deposited for :	Chem/Bact Testing of Water Sample

IS-10500:2012

Test Parameters	Requirement (Acceptable Limit)	Permissible limit in the absence of alternative sources	Test Values of Samples
1 pH	6.5 to 8.5	No Relaxation	7.2
2 Turbidity(NTU)	5	15	Clear
3 Colour (Hazen Unit)	1	5	None
4 Odour	Unobjectionable	-	None
5 Total Alkalinity (as CaCO ₃) mg/L	200	600	130
6 Total Hardness (as CaCO ₃) mg/L	300	600	250
7 Calcium (as Ca++) mg/L	75	200	-
8 Magnesium (as Mg++) mg/L	30	100	-
9 Chloride (as Cl ⁻) mg/L	600	1000	110
10 Sulphate (as SO ₄ ²⁻) mg/L	200	400	0
11 Nitrates (as NO ₃ ⁻) mg/L	45	No Relaxation	24
12 Fluoride (as F ⁻) mg/L	1.00	1.50	0.40
13 Total Dissolved Solids (TDS) mg/L	500	2000	548
14 Residual Chlorine (mg/L)	0.20	1.00	-
15 Total Coli Form/100 ml.	NIL/100 ml.	NIL/100 ml.	0
16 E-Coli/ 100 ml.	NIL/100 ml.	NIL/100 ml.	-

Senior Chemist
PHED, Lab, Alwar

Dated:

Lab/Tech/(Private)/2026-27/

Copy to:

1 The Chief Chemist, Public Health Engineering Department, Rajasthan, Jaipur.

2

3

(1) The Sample was not collected by this Laboratory.

(2) Not valid for water quality Legal Cases.

Senior Chemist

Save Water Save Life

Safe Water is Life

